

# 1970 Annual Index

## Abbreviations

ART - Technical Article

NEWS - News

PROD - Feature Product

SR - Staff Report

## Subject Listing

Amplifiers  
Antennas  
Commercial Products  
Communications  
Components  
Economic Outlook  
Electronic Countermeasures

Electro-Optics  
Filters  
Instrumentation  
Lasers and Holography  
Materials  
Microwave Sources  
Millimeter Waves

Miscellaneous  
Radar  
Semiconductors and MICs  
Systems  
Telemetry  
Tubes

### Amplifiers

High Gain Amp Doubles As Multiplier . . . NEWS, Dec, p. 26.  
Simplify Tunnel Diode Amp Design . . . ART, Sept, p. 67.  
Thin Film Hybrid Amplifiers Span 4 Octaves . . . PROD, Jan, p. 100.  
Thin Film on Sapphire Amplifier Improves Performance . . . PROD, Aug, p. 59.

### Antennas

Antenna Achieves Polarization Agility . . . ART, June, p. 56.  
Conformal Arrays Nearing Hardware Stage . . . NEWS, July, p. 16.  
Diagonal Horn Resists Signal Reflection . . . NEWS, Nov, p. 25.  
Fiberglass Antennas Minimize Surface Roughness . . . PROD, June, p. 72.  
MicroWaves Looks to the 70's With Dr. A. S. Robinson . . . NEWS, Jan, p. 8.  
Mode Charts Aid Antenna Design . . . ART, July, p. 38.  
New Geometry for Unfurlable Antennas . . . ART, Nov, p. 41.  
Phased Array Mounts Pedestal . . . NEWS, Dec, p. 9.  
Phased Arrays Scan Rapidly Toward Growth in the 70's . . . SR, June, p. 38.  
Pick the Source For Antenna Range . . . ART, Aug, p. 54.  
Short Backfire Antenna Finds Field Applications . . . NEWS, May, p. 16.  
Sixty-foot Parabolic Dish Eyes British Bird . . . NEWS, Sept, p. 10.  
Skyhook Beams Home . . . NEWS, Feb, p. 8.

Speed Design of Cassegrainians . . . ART, July, p. 46.  
Third Eye Gives 360 Degree Vision In Space . . . NEWS, Nov, p. 10.

### Commercial Products

Industrial and Commercial/Consumer Microwave Market . . . NEWS, Jan, p. 16.  
Microwave Oven Leakage: Federal Regulations Soon . . . NEWS, Feb, p. 17.  
Microwave Ovens Come Under Government Scrutiny . . . NEWS, June, p. 23.  
Microwaves Make Waves at the Boat Show . . . NEWS, Mar, p. 10.  
Non-Thermal Radiation Effects Investigated . . . NEWS, Nov, p. 10.  
Putting Power Where It Counts Economically . . . SR, Sept, p. 44.  
Study Rekindles Argument on Microwave Oven Hazards . . . NEWS, Jan, p. 40.  
Vehicle Monitoring System Demonstrated by Hazeltine . . . NEWS, Feb, p. 26.

### Communications

Britain Builds Communications Satellites . . . NEWS, Dec, p. 25.  
Comments on New Microwave Carriers Follow Expected Pattern . . . NEWS, Nov, p. 21.  
Communication Policy Agency Establishment Delayed . . . NEWS, Feb, p. 33.  
Communication Systems Can De-Urbanize Nation . . . NEWS, Oct, p. 14.  
Comsat Argues Against Set Cable Satellite Formula . . . NEWS, Nov, p. 22.

Comsat Gets Offer From Western Union for Space Work . . . NEWS, Dec, p. 22.

Datran Awards Integration Contracts . . . NEWS, Sept, p. 16.

Domestic Communications Satellites, Two Points of View . . . NEWS, Feb, p. 34.

Down-the-Hill Microwave Link Demonstrated . . . NEWS, Apr, p. 8.

Europe's Healthy Microwave Industry . . . SR, Oct, p. 47.

FCC Chairman Spells Out Domestic Satellite Problems . . . NEWS, Dec, p. 21.

FCC Staff Urges Granting MCI Applications Modifications . . . NEWS, Oct, p. 9.

Frequencies Proposed for Manned Space Station . . . NEWS, Sept, p. 14.

Laser and Microwaves Link Up for Space Communications . . . NEWS, Aug, p. 11.

MCI Applies for Southwest . . . NEWS, June, p. 14.

MCI Precedent Upheld . . . NEWS, Feb, p. 24.

Mi-Com Outlines National Microwave Communications Network . . . NEWS, Jan, p. 20.

Microwave Carriers and Bell Vie for Business Support . . . NEWS, Oct, p. 13.

Microwave Common Carriers . . . NEWS, Apr, p. 11.

Modifications in MCI Application May Moot 1700-Odd Others . . . NEWS, June, p. 23.

Nationwide Computer Communications Proposed . . . NEWS, Jan, p. 29.

NATO 'Hatbox' Flies High . . . NEWS, May, p. 29.

## 1970 ANNUAL INDEX

New Type Federal Regulation Seen For Microwave Carriers . . . NEWS, Dec, p. 22.

One System Proposed for Military Communication . . . NEWS, Jan, p. 39.

Relief for Telephone and Spectrum Jams . . . SR, Sept, p. 56.

RCA Alascom Seen Ahead in Talkeetna Bid . . . NEWS, May, p. 32.

Surfacewaves Find a Job Chasing High-Speed Trains . . . NEWS, Sept, p. 7.

250,000 Conversations in One Pipe . . . NEWS, Mar, p. 15.

Western Union Asks New York-Washington Data Link Expansion . . . NEWS, Dec, p. 22.

What About Microwave Communication Systems? . . . NEWS, Jan, p. 14.

White House Seeks Strong Voice in Telecommunications Policy . . . NEWS, Mar, p. 35.

## Components

Control Your Power Split Using A Hybrid 'Rat Race' . . . ART, Apr, p. 34.

Efficiency Increases in Acoustic Source . . . NEWS, Sept, p. 14.

Evaluate Directional Couplers Fast and Accurately . . . ART, Nov, p. 34.

HfO<sub>2</sub> Capacitors Feature Low Dielectric Loss . . . NEWS, Dec, p. 16.

Guide to Judging Microwave Capacitors . . . ART, Aug, p. 40.

Miniature Attenuators Handle Up to 25 W cw . . . PROD, Mar, p. 95.

Miniatrization—Watchword for Today's Coupler Design . . . PROD, Feb, p. 104.

Praetersonics Expands Information Transfer . . . NEWS, June, p. 12.

Single Bit Latching Reciprocal Ferrite Phase Shifter . . . ART, Mar, p. 46.

Terminations Permit Testing of Bulkhead Mount Connectors . . . PROD, Sept, p. 76.

## Economic Outlook

A Look Forward, A Look Back . . . NEWS, Jan, p. 6.

Defense Industry Faces "Age of Uncertainty" . . . NEWS, Jun, p. 16.

DOD Personnel Cuts To Be Higher Than Previously Expected . . . NEWS, Dec, p. 21.

Engineers Council Asks Immigration Halt . . . NEWS, Oct, p. 22.

Europe's Healthy Microwave Industry . . . SR, Oct, p. 47.

## Executive Discusses Commercial Marketing

... NEWS, Jun, p. 18.

Microwaves Still Healthy, But for How Long? . . . NEWS, Jun, p. 11.

Unions Warned of 35,000 More DOD Job Cuts Next Year . . . NEWS, Nov, p. 21.

## Electronic Countermeasures

Chaff Primer . . . ART, Dec, p. 46.

Deception Repeaters Jam Hostile Radars . . . ART, Dec, p. 36.

ECM User Jams New Views Upon Old Crows . . . NEWS, Jun, p. 14.

Electronic Warfare Ability Must Be Nurtured Says Admiral . . . NEWS, Dec, p. 21.

Measure New Threat Frequencies Instantly . . . ART, Dec, p. 49.

Transferred Electron Amps Challenge the TWT . . . ART, Dec, p. 59.

## Electro-Optics

Electrical Analogs for Optical Systems Part II—Concluded . . . ART, Jan, p. 76.

Electrical Analogs for Optical Systems, Appendix Concluded . . . ART, Mar, p. 67.

Electro-Optics Report Reveals Growth Potential of Lasers . . . NEWS, Jan, p. 71.

Japan Turned-On by Opto-Electronics . . . NEWS, July, p. 14.

Light Coupling Done by Diffraction Grating . . . NEWS, Sept, p. 24.

## Filters

Bandstop Filter Design Made Easy . . . ART, July, p. 78.

Filter Matches to SRD Impulse . . . ART, Sept, p. 34.

Let's Design Bandstop Filters . . . ART, June, p. 60.

Response Shaped by Filter Design . . . ART, Aug, p. 50.

Save Space with Stripline Design . . . ART Sept, p. 71.

Which Filter Design Shall It Be—Band-pass or Band-Stop? . . . ART, May, p. 65.

## Instrumentation

Integrated Circuit Reflectometer Covers 2 MHz to 12.4 GHz . . . PROD, Jan, p. 99.

Marker Chart Simplifies Spectrum Analysis . . . ART, June, p. 67.

Marker Generator Challenges Wavemeters and Counters . . . PROD, July, p. 86.


Microcircuits Shrink Sweeper Size for Wide-band Coverage . . . PROD, Mar, p. 125.



Type 75 price, less cabinet: \$1675.

AUTOMATIC  
INDICATOR

a Laboratory  
SINCE 1914  
NEW YORK



— ADD TO NOISE FIGURE —  
+3dB      +6dB  
0dB      +12dB  
-3dB      +18dB

GENERATOR  
CURRENT


A.C.  
POWER

ON

GAIN


MANUAL  
CAL AUTO OFF ON

# Unmatched accuracy and operating speed.



Here is the most precise automatic noise figure indicator you can buy. A unique tool for the microwave engineer that quickly pays for itself in the time it saves through simplicity of operation. □ Its expanded readout provides accuracy to  $\pm 0.15$  dB, with a resolution of a few hundredths of a dB over the lower half of the meter scale. And a flip of the range switch puts any noise figure from 0 to 33 dB into an expanded portion of the scale. □ One of the many ways the AIL 75

saves costly engineering time is that you can calibrate to the exact excess noise ratio of the noise source, then read actual noise figure directly over the RF range from 10 MHz to 40 GHz. IF ranges from 10 to 1000 MHz are available. □ 100% solid-state design, of course. Front panel indicator confirms adequate signal level. Manual and remote operation too. □ And now, AIL offers new solid-state companion noise sources from 0.01 to 18.0 GHz. As well as conventional wave-guide and coaxial types. And with AIL's noise-source calibration service, you can trace noise-figure readouts directly to NBS. □ Here's one investment it will pay not to delay. Phone (516-595-6471) or write today for a demonstration.



**AIL** a division of  
**CUTLER-HAMMER**



FARMINGDALE, LONG ISLAND, NEW YORK 11735

## 1970 ANNUAL INDEX

Microwave Radiometry to Spot Oil Spills? . . . NEWS, Oct, p. 20.

Portable Counter Measures Any Frequency Between 20 Hz and 18 GHz . . . PROD, Apr, p. 57.

Portable Spectrum Analyzer Covers 1 to 500 MHz . . . PROD, Aug, p. 73.

Programmable Digital Power Meter Reads in Watts and dBm . . . PROD, Feb, p. 102.

Reflectometry Measures Impedance . . . NEWS, Aug, p. 16.

Resistivity is Measured by Four-Point Probe . . . NEWS, Sept, p. 16.

S-Band Reflectometer Aids Reentry Plasma Analysis . . . NEWS, Nov, p. 9.

Skylab Microwave Sensors Will Measure Ocean Roughness . . . NEWS, Dec, p. 21.

Sliding Short Eases Measurements . . . NEWS, Dec, p. 26.

Spectrum Analyzer Features 100 dB Dynamic Range at 12.4 GHz . . . PROD, Dec, p. 71.

Spectrum Analyzer Measures Absolute Power . . . PROD, Nov, p. 50.

Spectrum Display is Instantaneous . . . ART, Aug, p. 44.

TDR: A Radar Within A Radar . . . ART, Oct, p. 32.

Which Is Better—Test It Yourself or Let Others Test It? . . . ART, Mar, p. 121.

### Lasers and Holography

Applications Stressed At Laser Industry Association Meeting . . . NEWS, Jan, p. 72.

Army Unveils 30 km Laser Ranger . . . NEWS, Nov, p. 12.

Can Lasers Measure Air Pollution? . . . NEWS, Oct, p. 18.

Canadian Breakthrough in CO<sub>2</sub> Lasers . . . NEWS, Mar, p. 61.

Fight Looms for HeNe Laser Market . . . NEWS, Dec, p. 12.

Get Laser Data on Coherence and Radiance . . . ART, Nov, p. 45.

Glass-Clad Ruby Minimizes Beam Distortion . . . NEWS, June, p. 12.

High Capacity Holographic Optical Memory . . . ART, Mar, p. 62.

Hologram Records Interior of Eye . . . NEWS, Aug, p. 26.

Hologram Shows Stress on Connections . . . NEWS, July, p. 28.

Holography Speeds Fingerprint Matching . . . NEWS, Aug, p. 12.

Laser Altimeter Aimed for the Moon . . . NEWS, June, p. 20.

Laser Beam Spreader Guide . . . ART, June, p. 64.

Laser Business Should Double Yearly . . . NEWS, Jan, p. 73.

Laser Funding by Air Force Now Classified . . . NEWS, Mar, p. 35.

Laser Produces Shortest Wavelength Known . . . NEWS, Oct, p. 24.

Laser Produces Unique Prints from Film Positives . . . NEWS, May, p. 24.

Laser Provides Ranging With Night Vision . . . NEWS, Jan, p. 24.

Laser Pulser Overcomes SCR Latching Problem . . . ART, May, p. 75.

Laser Scribing of Wafers Offers Two Ways to Save . . . PROD, Aug, p. 71.

Laser Used in Glass Melting . . . NEWS, Mar, p. 61.

Lasers and Holography Produce 3-D Movies Without Glasses . . . NEWS, Jan, p. 71.

Lasers Steal the Show! . . . NEWS, Jan, p. 68.

Lasers Wipe Out Tattoos . . . NEWS, Jan, p. 26.

Light to Drill, Cut and Communicate . . . SR, Sept, p. 52.

Microwave Holography Maps Surface Expansion . . . NEWS, Nov, p. 26.

New Laser Gives 6 kW—It's Done with Mirrors and Preheated Gas . . . NEWS, July, p. 20.

Organic Dye Laser Is Tunable Over Half the Visible Spectrum . . . NEWS, Oct, p. 16.

Pulsed CO<sub>2</sub> Laser Produces 2.5 Megawatts . . . NEWS, Mar, p. 20.

Solid-State Laser Shows High Efficiency . . . NEWS, June, p. 26.

Spatially Filtered Laser Collimator Is Versatile . . . PROD, Mar, p. 76.

Too Many Cooks Spoil the Laser Broth . . . NEWS, Jan, p. 73.

What Happened at the Paris Laser Exposition and Symposium? . . . NEWS, Jan, p. 74.

YAG Laser Utilizes Modular Construction . . . NEWS, Jan, p. 82.

### Materials

Secret of Growing YIG: From Dust to Finished Device . . . NEWS, Aug, p. 9.

Understanding Microwave Absorbing Materials and Anechoic Chambers Part 2 . . . ART, Jan, p. 44.

Understanding Microwave Absorbing Materials and Anechoic Chambers Part 3 . . . ART, Apr, p. 47.

Understanding Microwave Absorbing Materials and Anechoic Chambers Part 4 . . . ART, May, p. 69.

Unique Uses of Ceramics in Microwave Engineering . . . ART, Jan, p. 38.

### Microwave Sources

Bias Source Is Voltage Tuned . . . ART, Oct, p. 76.

Do-It-Yourself Impatt Oscillator . . . ART, Sept, p. 64.

End Guessing in Oscillator Design . . . ART, Oct, p. 38.

Get Stable Power by Subharmonic Lock . . . ART, July, p. 42.

IEEE Convention Uncovers New Microwave Developments, 1970 . . . NEWS, May, p. 16.

Ka-Band Tunable Oscillator Uses MIC's . . . PROD, Apr, p. 60.

Local Oscillator Maintains Leveled Output From 1 to 12 GHz . . . PROD, Nov, p. 52.

Solid-State Sources Specifiers' Guide . . . PROD, Feb, p. 70.

What Could You Do With a \$5 Solid-State Oscillator? . . . PROD, July, p. 83.

### Millimeter Waves

Backscatter Measured at 70 GHz . . . NEWS, Dec, p. 10.

It's Optics vs Millimeter Waves in Space . . . NEWS, July, p. 12.

Magnetoplasma Transduces Mm-wave Modes . . . NEWS, Oct, p. 24.

Millimeter Radiometers Probe the Sun . . . ART, Oct, p. 44.

Millimeter-wave Telephony by 1980? . . . NEWS, July, p. 18.

Millimeter Waves—Past and Future . . . NEWS, Jan, p. 14.

Millimeter Waves Penetrate Radiometry . . . NEWS, Jan, p. 30.

Millimeter Waves Pierce Storms . . . NEWS, Dec, p. 14.

Mm Sweep Generator Uses Impatt Source . . . PROD, Aug, p. 74.

Power Stabilization of Microwave and Millimeter Wave Sources . . . ART, Feb, p. 40.

### Miscellaneous

Can Microwaves Deliver Power? . . . NEWS, Nov, p. 14.

Glass-Metal Superconductor Developed . . . NEWS, Sept, p. 24.

IEEE Highlights . . . NEWS, Apr, p. 26.

IEEE to Offer Tech-Lit Service . . . 1200 Sources to Be Scanned . . . NEWS, Apr, p. 12.

ISSCC Scheduled for Feb. 18-20 in Philadelphia . . . NEWS, Jan, p. 22.

# FREE . . .

Want a subscription? MicroWaves is sent free to qualified microwave engineers and engineering managers in the United States and Western Europe. For a free subscription, use the postfree application form inside the back cover. If none is included, write to us directly for an application form.

If you do not qualify, you may take out a paid subscription for \$10 a year in the U.S.A., \$15 a year elsewhere. Single copies are \$1.50 each.

If you change your address, send us an old mailing label and your new address; there is generally a prepaid postcard for this inside the back cover. You will have to requalify to continue receiving MicroWaves. Want to contact us? If you have any comments or wish to submit a manuscript or article outline, address correspondence to:

MicroWaves,  
850 Third Avenue  
New York, N.Y. 10022.

## Need new design aids?



Use  
Reader Service  
Numbers

NEREM Meets in Boston on November, 4, 5 and 6 . . . NEWS, Oct, p. 22.

Nomograms Simplify Phase-Lock Loop Analysis, ART, Mar, p. 52.

Open Resonator Formed by Cylinder Surfaces . . . NEWS, Oct, p. 24.

Program of G-MTT 1970 . . . NEWS, Apr, p. 32.

Sixty-Second Physics Show Held in Paris . . . NEWS, Feb, p. 27.

Survey of New Companies . . . PROD, Jan, p. 90.

Thermal Resistivity Table Simplifies Temperature Calculations . . . ART, Feb, p. 58.

X-Band Navigation True to Feet . . . NEWS, Aug, p. 14.

### Radar

Airport Radar TV Display Relayed by Microwaves . . . NEWS, Aug, p. 34.

Coherent Instrumentation Radar Goes on Line at White Sands . . . NEWS, Feb, p. 20.

Doppler Radars Diagnose Storms for Better Weather Forecasting . . . NEWS, Mar, p. 7.

Doppler to Stop a Car and to Catch a Thief . . . SR, Sept, p. 60.

Europe's Healthy Microwave Industry . . . SR, Oct, p. 47.

Helicopter-Hoisted Radar Boosts Early Warning Detection Time . . . NEWS, Dec, p. 18.

Is Radar-Aided Braking Close to Reality? . . . NEWS, Mar, p. 12.

Japan Charts Marine Anti-Collision Radar . . . NEWS, Nov, p. 25.

Modulator Develops Extremely Short Pulses . . . NEWS, Feb, p. 6.

Radar—A Look Back with Dr. W. L. Barrow . . . NEWS, Jan, p. 7.

Safeguard on Unsafe Ground in Senate . . . NEWS, June, p. 23.

'Seek Storm' Radar Aircraft Get Off the Ground . . . NEWS, Aug, p. 34.

S. S. Manhattan Takes the High Road to Alaska . . . NEWS, Mar, p. 22.


Ultra-Fast Scan Will Find Small Craft . . . NEWS, Aug, p. 34.

### Semiconductors and MICs

Arsenic Emitter Doping Ups Cut-off Frequency . . . NEWS, Dec, p. 16.

Avalanche Diodes Come On Strong at ISSCC '70 . . . NEWS, Apr, p. 7.

Beam Lead Schottky Barrier Diode Operates in Ku-Band . . . PROD, Mar, p. 96.



## SURFACE CONTOUR CALIBRATION...

...means improved gain!

Decreasing the rms error of a radio reflector surface from 1/10 wavelength to 1/20 wavelength can improve gain by more than 5 db . . . almost equal to doubling the reflector diameter!

dba's exclusive Photogrammetric Structural Measurements Service is the most accurate and versatile method known for measuring surface conformity. This technique utilizes precision photography, followed by analytical photogrammetric triangulation on computers using special dba-developed programs. Antenna down time is just a few hours. Accuracies of one part in 60,000 of the reflector's diameter are routinely provided, with accuracies of one part in 100,000 achievable.

What shape  
is your  
deployable in?

dba surface contour calibration can be applied to any size ground-based or space antenna. Calibration may be performed in vacuum chambers, during shake tests, and under extreme thermal conditions. Dynamic and static calibrations can be compared in order to pinpoint motion-induced deformation.

For more information, contact the Director of Photogrammetric Services.



dba DBA SYSTEMS, INC.

P.O. Drawer 550  
Melbourne, Florida 32901  
Telephone: (305) 727-0660

ON READER SERVICE CARD CIRCLE 59

## 1970 ANNUAL INDEX

Cavity Resonator Simplifies Varactor Cutoff Measurements . . . ART, Apr, p. 40.

Computer Offers MIC Design to Engineers in a Hurry . . . NEWS, July, p. 18.

GaAs Transistor Attains 3 dB Gain at 17 GHz . . . NEWS, Apr, p. 12.

Ion Implantation for Transistors . . . NEWS, Feb, p. 6.

Ion Implantation Technology Reaches Mass Production Status . . . NEWS, May, p. 34.

LSA Diode Gives 100 Watt Peak in Beacon . . . NEWS, Nov, p. 16.

Microwave Micromin Bibliography (Concluded) . . . ART, Jan, p. 53.

Microwave Transistors: A Look to the Future . . . ART, July, p. 64.

Microwave Transistors, Part 2: Small Signal Devices . . . ART, Feb, p. 50.

Power Transistor Breaks Through to 3 GHz . . . PROD, Jan, p. 96.

Pulsed Power Transistor Belts Out 100 W at 1 GHz . . . PROD, June, p. 70.

Real Culprit in Diode Failure . . . ART, Aug, p. 36.

Single Theory Describes Most GaAs Modes . . . NEWS, Dec, p. 16.

Spec Microwave Transistors Fast . . . ART, July, p. 68.

Specifiers' Guide: Microwave Transistors . . . PROD, July, p. 49.

### Systems

ATA Fears Flying 'Fruit' . . . NEWS, June, p. 16.

Air Traffic Demanding More Accurate Controls . . . SR, Sept, p. 48.

Avionics Systems . . . SR, May, p. 49.

CAT Solution Doubtful, But NASA Sees Promise With Laser . . . NEWS, Feb, p. 33.

Consortium to Update European Defense . . . NEWS, Dec, p. 25.

Contracts Nearing for Microwave Instrument Landing . . . NEWS, Oct, p. 9.

Electromagnetic Smog Threatens Spectrum . . . NEWS, May, p. 19.

FAA Plans Will Expand Radar Market . . . NEWS, Apr, p. 19.

FAA Switches on Transocean Satellite Communications Program . . . NEWS, Nov, p. 21.

General Aviation Demands Pilot Warning . . . NEWS, May, p. 15.

National Commitment Necessary to Improve Air Traffic Control . . . NEWS, Mar, p. 35.

Pilot Warning System Goes into Production . . . NEWS, Nov, p. 16.

Scanning Beam Lands in Inter-Agency Committee . . . NEWS, Sept, p. 12.

Simplify EMC Design . . . ART, May, p. 59.

'Smaller and Cheaper,' The Airlines Say . . . NEWS, Oct, p. 14.

Sweden Shows Off Its Landing System . . . NEWS, Nov, p. 25.

### Telemetry

Photographic Hot Line Transmits Pictures by Satellite . . . NEWS, Feb, p. 6.

Telemetry Transmitter Withstands 35 G Kick . . . NEWS, Nov, p. 18.

Was Einstein Wrong? Signals Being Sent to Mariner May Tell . . . NEWS, July, p. 9.

Station Tunes in Satellites, \$200 . . . NEWS, Aug, p. 18.

### Tubes


Low-Noise TWT Amplifier Challenges Solid State . . . ART, Feb, p. 60.

Why Not Crossed-Field Amplifiers? . . . ART, Jan, p. 58.


## EW Environment in a Lab...? Classroom...? Anechoic Chamber...?

### YOU CAN DO IT...WITH PROGRAMMABLE TEST AND SIMULATION EQUIPMENT FROM ANTEKNA

Simulation of a realistic, threat radar environment is no longer a problem! Now, by combining the ANTEKNA series of Programmable Microwave Modules, you can generate an unlimited number of pulsed, radar scan patterns, up through 18 GHz, without leaving your laboratory. Custom requirement? We can provide you a custom solution. Call or write now, for more information.



Simulated pulsed radar scan produced at X-band.



EW Environment

Lab, Classroom or Chamber



**MODEL 1400**  
Antenna Pattern Generator General purpose antenna scan pattern generator. All functions programmable. Other special purpose generators available.



**MODEL 3200**  
Microwave Modulator Coverage from 30 MHz to 18 GHz. Ultra-linear range 80 db, pulse ON/OFF ratio 80 db. Digital or analog programming.



**MODEL 1210/12**  
Pulse/Logic Generator Two units in one, independent cover, or double/multi pulse output. 100 Hz to 5 MHz, 100 nsec to 1 sec. Special pulse groups, codes or logic word and sequence generators available.

# ANTEKNA

ANTEKNA, INC.  
4015 Fabian Way  
Palo Alto, Calif. 94303  
(415) 328-3700

Also... Microwave Synthesizers  
Custom Test Stations  
Custom Trainers/Simulators  
QRC Sub-system hardware

ON READER SERVICE CARD CIRCLE 38

